



PRODUCT GUIDE

Passenger | 4WD | Light Truck



PASSION . FOR PERFORMANCE



INNOVATION & TECHNOLOGY


Centara introduces its new Seal Technology, designed to seal punctured tyre treads. This innovative technology keeps you and your family safe with ZERO impact on driving or inconvenience after a puncture.

WHAT IS SEAL TECHNOLOGY?

This is an innovative technology that self seals puncture damage immediately on the tyre tread. If the tyre is punctured by a nail or sharp foreign object, the gel application will immediately self-seal around the object that penetrates the tyre. The tyre will remain inflated without dropping any pressure, meaning there is no impact to driving or vehicle safety.

SEAL TECHNOLOGY BENEFITS

- No stopping or inconvenience to change flat tyre
- No cost or wasted time to repair tyre puncture
- No impact on tyre pressures or driving performance, which assists tyre treadwear and fuel costs
- No potential damage to tyre due to loss of air pressure



RANGE OFFERING

PASSENGER



VANTI HP



VANTI TOURING



VANTI AS

4WD



GRAND TOURER HT



ADVENTURE AT



RADIAL AT



TERRENA MT

LIGHT TRUCK



COMMERCIAL



MILEMAX



KARRIER MAX

SIZE OFFERING

Size	Aspect	Rim	Load Index	Pattern
Passenger				
145/70R12	70	12	69T	Vanti AS
155/70R13		13	75T	Vanti AS
165/70R13			79T	Vanti AS
175/70R13			82H	Vanti AS
185/70R13			86T	Vanti AS
165/70R14	14	14	81T	Vanti AS
175/70R14			84H	Vanti AS
185/70R14			88H	Vanti AS
205/70R14			98H	Vanti AS
195/70R14			91H	Vanti Touring
155/65R13	65	13	73T	Vanti AS
165/65R13			77T	Vanti AS
175/65R14		14	82H	Vanti AS
155/65R14			79T	Vanti Touring
185/65R14			86H	Vanti Touring
185/65R15	15	15	88H	Vanti Touring
195/65R15			95H	Vanti Touring
205/65R15			94V	Vanti Touring
195/65R15			95H	Vanti Touring ST**
215/65R16		16	98H	Vanti Touring
165/60R14	60	14	75T	Vanti Touring
185/60R14			82H	Vanti Touring
195/60R14			86H	Vanti Touring
185/60R15		15	84H	Vanti Touring
195/60R15			88V	Vanti Touring
205/60R15	16	16	91H	Vanti Touring
195/60R16			89H	Vanti HP
205/60R16			92V	Vanti Touring
215/60R16			95V	Vanti Touring
225/60R16			98V	Vanti Touring
205/60R16	55	15	92V	Vanti Touring ST**
215/60R16			95V	Vanti Touring ST**
185/55R15		15	82V	Vanti Touring
195/55R15			85V	Vanti Touring
195/55R16		16	87W	Vanti HP
205/55R16	17	17	94W	Vanti HP
215/55R16			97W	Vanti HP
225/55R16			99W	Vanti HP
205/55R16			94W	Vanti HP ST**
215/55R17			98W	Vanti HP
225/55R17	101W	101W	Vanti HP	
235/55R17			103W	Vanti HP
215/55R17			98W	Vanti HP ST**
225/55R17			101W	Vanti HP ST**
195/50R15		50	15	82V
195/50R16	16	16	88V	Vanti HP
205/50R16			87W	Vanti HP

Size	Aspect	Rim	Load Index	Pattern
225/50R16	50	16	96W	Vanti HP
205/50R17		17	93W	Vanti HP
215/50R17			95W	Vanti HP
225/50R17			98W	Vanti HP
215/50R17			95W	Vanti HP ST**
235/50R18	45	18	101Y	Vanti HP
195/45R16		16	84V	Vanti HP
205/45R17		17	88W	Vanti HP
215/45R17			91W	Vanti HP
225/45R17			94W	Vanti HP
235/45R17	18	18	97W	Vanti HP
245/45R17			99W	Vanti HP
235/45R17			97W	Vanti HP ST**
215/45R18			89Y	Vanti HP
225/45R18			95W	Vanti HP
235/45R18	19	19	98Y	Vanti HP
245/45R18			100W	Vanti HP
245/45R18			100W	Vanti HP ST**
245/45R19			102W	Vanti HP
245/45R20		20	99W	Vanti HP
275/45R20	40	17	110Y	Vanti HP
205/40R17		17	84W	Vanti HP
215/40R17			87W	Vanti HP
215/40R18		18	85Y	Vanti HP
225/40R18			92W	Vanti HP
235/40R18	19	19	95W	Vanti HP
245/40R18			97W	Vanti HP
245/40R19			98W	Vanti HP
275/40R19			105W	Vanti HP
245/40R19			98W	Vanti HP ST**
275/40R20	20	106Y	Vanti HP	
255/35R18	35	18	94W	Vanti HP
235/35R19		19	91Y	Vanti HP
245/35R19			93W	Vanti HP
225/35R20		20	93W	Vanti HP
4WD				
235/85R16	85	16	120/116Q	Radial AT
235/85R16			120/116S	Radial AT
235/85R16			120/116N	Terrena MT
235/75R15	75	15	116S	Adventure AT ST**
235/75R15			116S	Adventure AT ST**
235/75R15			116/113Q	Radial AT
235/75R15			116/113Q	Radial AT ST**
235/75R15			109S	Radial AT
245/75R16	16	16	120/116S	Adventure AT
265/75R16			123/120S	Adventure AT
265/75R16			123/120Q	Adventure AT ST**
225/75R16			115/112Q	Radial AT

SIZE OFFERING

Size	Aspect	Rim	Load Index	Pattern					
245/75R16	75	16	120/116Q	Radial AT					
265/75R16			123/120Q	Radial AT					
285/75R16			122/119Q	Radial AT					
225/75R16			115/112Q	Radial AT ST**					
245/75R16			120/116Q	Radial AT ST**					
265/75R16			123/120Q	Radial AT ST**					
285/75R16			122/119Q	Radial AT ST**					
225/75R16			115/112S	Radial AT					
265/75R16			123/120S	Radial AT					
245/75R16			120/116N	Terrena MT					
245/75R16			120/116S	Terrena MT					
265/75R16			123/120N	Terrena MT					
285/75R16			122/119Q	Terrena MT					
265/75R16			123/120N	Terrena MT ST**					
285/75R16			122/119Q	Terrena MT ST**					
205/70R15			70	15	96H	Grand Tourer HT			
255/70R15					109H	Grand Tourer HT			
235/70R16					16	106T	Adventure AT		
245/70R16						118/115S	Adventure AT		
255/70R16						115/112S	Adventure AT		
265/70R16	121/118S	Adventure AT ST**							
245/70R16	118S	Adventure AT ST**							
235/70R16	106H	Grand Tourer HT							
255/70R16	111H	Grand Tourer HT							
235/70R16	17	106T				Radial AT			
285/70R17		121/118Q				Radial AT			
285/70R17		121/118Q				Radial AT ST**			
265/70R17		121/118S				Radial AT			
265/70R17		121/118Q				Terrena MT			
285/70R17		121/118Q				Terrena MT			
265/70R18		18				116T	Grand Tourer HT		
215/65R16						16	98H	Grand Tourer HT	
225/65R17							17	106H	Adventure AT
245/65R17								111/108S	Adventure AT
265/65R17								120/117S	Adventure AT
265/65R17			120S	Adventure AT ST**					
225/65R17			102V	Grand Tourer HT					
235/65R17			108V	Grand Tourer HT					
245/65R17			107H	Grand Tourer HT					
265/65R17			112H	Grand Tourer HT					
285/65R17			116H	Grand Tourer HT					
235/65R17			104T	Radial AT					
235/65R18			18	106H	Grand Tourer HT				
275/65R18				123/120S	Radial AT				
235/60R16	60			16	100V			Grand Tourer HT	
215/60R17					17			96H	Grand Tourer HT

Size	Aspect	Rim	Load Index	Pattern					
225/60R17	60	17	99V	Grand Tourer HT					
235/60R18		18	107H	Adventure AT					
285/60R18			120H	Adventure AT					
285/60R18			120H	Adventure AT ST**					
225/60R18			100H	Grand Tourer HT					
235/60R18			107V	Grand Tourer HT					
255/60R18			108H	Grand Tourer HT					
265/60R18			110H	Grand Tourer HT					
235/55R17			55	17	99V	Grand Tourer HT			
275/55R17				109H	Grand Tourer HT				
215/55R18	18			95V	Grand Tourer HT				
225/55R18		98V		Grand Tourer HT					
235/55R18		100V		Grand Tourer HT					
255/55R18		109W		Grand Tourer HT					
255/50R19		50		19	107W	Grand Tourer HT			
33X12.50R15				15	108Q	Terrena MT			
35X12.50R17				17	119Q	Terrena MT			
31X10.50R15				10.50	15	109S	Adventure AT		
31X10.50R15			109S		Adventure AT				
31X10.50R15			109S		Radial AT ST**				
31X10.50R15	109Q		Terrena MT ST**						
Light Truck									
195/75R16	75		16		107/105R	Commercial			
215/75R16					116/114R	Commercial			
195/75R16		107/105R			Commercial ST**				
215/75R16		116/114R			Commercial ST**				
215/70R16		70			108/106T	Commercial			
215/70R16				108/106T	Commercial ST**				
195/70R15				15	104/102R	Commercial			
205/70R15					106/104R	Commercial			
215/70R15					109/107S	Commercial			
225/70R15					112/110R	Commercial			
225/70R15					112/110R	Commercial ST**			
195/65R16					65	16	104/102R	Commercial	
205/65R16							107/105R	Commercial	
215/65R16							109/107R	Commercial	
225/65R16							112/110R	Commercial	
235/65R16							115/113R	Commercial	
215/65R16				109/107R			Commercial ST**		
155R12				12			13	88/86Q	Vanti AS
5.00R12								88/86P	Commercial
155R13								90/88N	Milemax
165R13	94/93N		Milemax						
175R13	97/95Q		Milemax						
185R14	14		102/100Q					Commercial	
195R14			106/104Q					Commercial	
195R15		15	106/104Q					Commercial ST**	
6.50R16			16					107/102M	Karrier Max
7.00R16								113/111M	Karrier Max
7.50R16				123/121M			Karrier Max		

VANTI HP

Designed to suit leading vehicle manufacturers in the high-performance sector, Vanti HP combines exceptional handling, braking and performance in all conditions.



FEATURES & BENEFITS

- Asymmetric tread design to provide high performance handling in both wet and dry conditions
- Circumferential ribs in the centre of the tread ensure high-speed stability and improved braking
- Optimised blocks on the shoulder of tread to enhance comfort and low noise level

 **HANDLING**

 **BRAKING**

 **SILENT**



VANTI TOURING

The Vanti Touring offers great comfort, without compromising performance. Designed to provide reduced rolling resistance and improved fuel efficiency.



FEATURES & BENEFITS

- Innovative tread compound to assist performance and braking in all weather conditions
- Solid centre ribs provides consistent contact patch and helps prevent irregular wear
- Optimal cavity construction provides increased stability and reduced rolling resistance

- **COMFORT**
- **FUEL EFFICIENT**
- **TREAD LIFE**




VANTI AS

Combining key characteristics to deliver great durability, the Vanti AS suits many different vehicles that demand extended tread wear and long tyre life.



FEATURES & BENEFITS

- Optimal pattern design to enhance tyre tread wear and vehicle mileage
- Special tread compound to extend tyre wear, without compromising braking performance
- Robust tyre construction to improve tyre durability, stability and overall comfort

-  **TREAD LIFE**
-  **DURABILITY**
-  **COMFORT**



GRAND TOURER HT

To maximise performance, the new Grand Tourer HT tyre has adopted a new design concept to provide outstanding urban and highway driving.



FEATURES & BENEFITS

- Improved tread compound delivers shorter braking and reduced fuel consumption
- Special tread blocks designed evenly to disperse pattern noise resulting in a silent driving experience
- Optimised grooves, with V-shaped patterning allows for effective water drainage and wet weather grip

 **BRAKING**

 **SILENT**

 **FUEL EFFICIENT**

10

ADVENTURE AT

A versatile tyre, the new Adventure AT enables the most demanding on/off road driving. From road, to gravel or mud, it offers outstanding grip.



FEATURES & BENEFITS

- New tread design provides continuous traction in both on and off-road situations
- Strengthened sidewall and casing construction help provide greater mileage and durability
- Innovative block design to provide a specific self cleaning tread pattern

 **TREAD LIFE**

 **DURABILITY**

 **HANDLING**



RADIAL AT

The Radial AT is a proven tyre that has been designed to provide exceptional tread life. This reliable tyre performs in both on/off road conditions.



FEATURES & BENEFITS

- Deep tread pattern and special compounds provide longer tread life
- Aggressive tread design and staggered shoulder blocks help to enhance grip across all conditions
- Zig Zag tread blocks improve cornering and braking traction in all weather conditions

 **TREAD LIFE**

 **BRAKING**

 **HANDLING**

TERRENA MT

Featuring an aggressive and durable off-road pattern design, the Terrana MT performs reliably in the most demanding off-road driving conditions.



FEATURES & BENEFITS

- Unique pattern design to effectively perform in unpaved and tough road surfaces
- Wide shoulder blocks to provide additional traction in both mud and sand conditions
- Improved cavity construction and sidewall reinforcements to increase tyre durability and reduced punctures

 **DURABILITY**

 **TRACTION**

 **BRAKING**



COMMERCIAL

The Centara Commercial range is perfectly suited to many key light truck fitments, incorporating high load carrying capacity whilst delivering extended tread wear.



FEATURES & BENEFITS

- Innovative tread compound designed to provide extended and even tyre life
- Specifically engineered tread blocks to provide strong performance and reduced noise levels
- Three main grooves contribute to effective water drainage and overall wet weather performance

-  **TREAD LIFE**
-  **DURABILITY**
-  **COMFORT**

MILEMAX

Highly durable light commercial tyre that delivers extended tread life, without compromising wet handling performance.



FEATURES & BENEFITS

- Wide tread cavity and deep grooves provide better extended mileage and durability
- Optimised ribbed tread block improves steering stability and overall vehicle responsiveness
- Straight grooves provide excellent water drainage and wet braking performance

 **TREAD LIFE**

 **HANDLING**

 **BRAKING**



KARRIER MAX

Karrier Max is a heavy duty tyre designed for commercial light truck vehicles, delivering reliable performance across a variety of applications.



FEATURES & BENEFITS

- Closed tread shoulders provide excellent steering response and high speed stability
- Optimal block and lug tread pattern to maximise traction across all conditions
- Zig Zag grooves improves traction, whilst reducing road noise

- **HANDLING**
- **TRACTION**
- **COMFORT**

TERMS & CONDITIONS



Centara 3 Year Replacement Guarantee Policy

Total Tyres (TT) hereby warrants and certifies that all Centara tyres supplied to its customers are guaranteed against failure to complete their satisfactory tyre life (tread worn-out stage) as a result of any inherent deficiency relating to material or workmanship, leading the tyre to become unusable.

Duration

This guarantee applies until the earlier of:

- The third anniversary of the date that you purchase the tyres from TT; or
- The tyre being worn to its tread wear indicator (TWI) in any place.

Conditions

To make any eligible claim the customer must provide proof of purchase from TT. TT reserves the right to refuse to provide replacement or compensation under this guarantee where the customer cannot do so. For the avoidance of doubt, this guarantee applies in addition to any statutory warranties which cannot be excluded by law, including under the Australian Consumer Law.

Centara Seal Technology Guarantee Policy

A Centara Seal Technology consist of a sticky, viscous layer from shoulder to shoulder along the inner liner. This layer is an integral part of the Seal Technology. It is not designed to act as a permanent puncture repair.

If an object up to 5mm diameters penetrates the tread of a tyre this sticky layer is designed to surround and adhere to the puncturing object and prevent air loss from the tyre by providing a near instantaneous seal. If the puncturing object becomes dislodged from the tyre, the material is designed to seal most holes made by objects up to 5mm diameter. While a Centara Seal Technology tyre significantly reduces the incidence of "flats" they are not designed to be driven in an under inflated or "flat" condition. In all other aspects a Centara Seal Technology tyre performs exactly like non Centara Seal Technology Tyres.

The Seal Technology tyre is offered to promote safety and is not a warranty that your tyre will not fail or become unserviceable due to a puncture. This Centara Seal Technology Guarantee Policy applies to all Centara Seal tyres that are purchased and is a promise to provide a full credit on any puncture repair under the following conditions:

1. Customer must present their original receipt proof of purchase including the date of purchase
2. The object that has penetrated the tyre must have done so between the shoulders of the tyre (not on the sidewall).

What happens if your tyres do not perform in accordance with the guarantee?

1. Please contact us on 1300 660 233 or your local Sales Manager
2. TT will arrange for a representative to inspect your tyre(s)
3. If the TT representative determines that a tyre has not met either the Centara 3 Year Replacement Guarantee and Centara Seal Technology Guarantee, TT will provide you with a credit on a replacement Centara tyre on a "pro-rata" basis. This means that TT will measure the remaining usable tread depth on the tyre as a percentage of its original usable tread and multiply that percentage by the original purchase price of the tyre

Are there any limitations?

The Centara 3 Year Replacement Guarantee and Centara Seal Technology Guarantee do not cover, and TT will not be liable to you, where a Centara tyre becomes damaged due to misuse, including:

- Rim irregularities or rim damage
- Snow Chain
- Vehicle mechanical problems, including brake problems, and vehicle wheel alignment
- Extreme temperature exposure
- Negligent and abusive driving such as tyre spinning or racing
- Improper tyre storage
- Automotive accident
- Chemical corrosion or fire
- Use contrary to the vehicles manufactures tyre recommendations
- Improper stud size and or installation
- Improper Mounting or Demounting Failure to observe safety and maintenance precautions

The Australian Consumer Law (ACL) provides consumers with certain consumer guarantees and rights in relation to certain transactions concerning goods and/or services (see www.consumerlaw.gov.au). Any rights you may have under the ACL shall apply notwithstanding any inconsistent provisions under these guarantees which will be read down to the extent necessary to comply with the ACL and which shall otherwise apply to the fullest extent legally permissible.

TT's liability to you under these guarantees is limited in all cases to the repair or replacement of the relevant tyre, or the costs of repairing or replacing the tyre, and will not exceed TT's recommended retail price for the tyre. TT will not be liable for any additional duty, taxes or other expenses incurred by you including loss of time, loss of profit, loss of revenue, loss of goodwill, vehicle downtime or any incidental expenses: fuel, travel, loading & transportation, telephone costs, mounting, demounting, balancing, rotation, and vehicle alignment.







www.tyreblitz.com.au | info@tyreblitz.com.au | 07 3497 0225